BLAUPUNKT

User Manual

32" PROFESSIONAL MONITOR FOR CCTV BP-MON-32CCTV



Enjoy it.

For Inquiries, Please contact:

Security Shop Vladimira Popovica 6/6/A606 11070 Novi Beograd, Serbia Tell: +381 11 318 68 68 office@securityshop.rs


Imported/Distributed by Security Shop doo license of Blaupunkt www.blaupunkt.com Made in China

WARRANTY CARD

user name	
e-mail	
mail address	
postal code	
contact number	
product name	
product model	
product bacrcode number/Batch number	
name	
address	
contact number	
postal code	
sales date	
invoice barcode	




BUTTON MAP



OPERATING INSTRUCTIONS

- 1. Power on: Press the power button to turn on, long press to turn off.
- 2. Channel selection: Press the INPUT button, press the P-/P+ button to select the signal channel and then press the V-/V+ button to confirm.
- 3. Image effect design: Press the MENU button to enter the menu, press the P-/P+ button to select different items, respectively press the V+ button, press the V- button, adjust the value, and finally press the MENU button to exit.
- 4. Multimedia: Insert the U disk, press the INPUT button to select multimedia, press the V-/V+ button to confirm to enter the multimedia interface, press the V-/V+ button to select left and right, press the P-/P+ button to select different intems, and the press the INPUT button to confirm.

INTERFACE DIAGRAM



HD MONITOR

- HD: 1920*1080
- Rich colors: Nanotechnology is used to activate inert molecules twice to make the picture more layered.
- Bright colors: Improved image quality, strong three-dimensionality.
- Clarity: Detailed and realistic, conveying true colors.
- Built specifically for HD resolution products, this unit is optimized for HDMI input ports to reduce signal transmission loss and improve clarity.
- Support 4K 3840*2160, 2K 2560*1440



Mark" only for safe use in non reopical climate"



Mark" only for safe use in areas below 2000m above sea level"